

**ISTORICAL TRENDS IN FORAGER AND FARMER EXCHANGE  
IN THE ITURI RAIN FOREST OF NORTHEASTERN ZAMBIA**

David S. Wilkie  
Center for Environmental Management  
Tufts University  
Medford, MA 02155

Bryan Curran  
Department of Anthropology  
University of New Mexico  
Albuquerque, NM 87131

Human Ecology 21(4):389-417

July 28, 1993

# HISTORICAL TRENDS IN FORAGER AND FARMER EXCHANGE IN THE ITURI RAIN FOREST OF NORTHEASTERN ZAIRE

## ABSTRACT

Using oral histories, archival materials, and observations of present behavior, a largely hypothetical historical reconstruction of the natural resource exploitation and subsistence practices of Lese farmers and Efe foragers in the Ituri Forest of northeastern Zaire is presented. Distinct epochs associated with the advent of forest agriculture, Belgian colonization, and post independence economic collapse have resulted in changes in local population density, the range of forest resources exploited, and the spatial distribution and intensity of resource use. Broadly speaking, there has been a historical trend toward sedentism, spatial clumping of settlements, localization of resource exploitation, reduced importance of forest carbohydrates in the diet, and an increased reliance on agricultural products.

Over time the Efe and Lese exchange system has changed, in relation to the items traded and the relative dependence of each partner on the exchange relationship. Involvement in this alliance has had a considerable impact on Efe settlement pattern, diet and probably fecundity. It ultimately placed the Lese in a position of power over the Efe, and provided the farmers with means to enter a transient monetary economy. By providing a retrospective on Efe and Lese subsistence, we hope to demonstrate that to decipher the relative benefits and constraints of this contemporary exchange relationship, we must understand their historical etiology.

**KEY WORDS: Africa, hunter-gatherers, resource exchange, tropical rainforest, subsistence decisions**

## INTRODUCTION

The almost universal incidence of complex, interdependent exchange relationships between sympatric foragers and farmers within Old World tropical moist forests (Peterson, 1978; Headland and Reid, 1989a,b; Bailey et al., 1989) suggests that exchange constitutes a vital component of their subsistence within these regions.

As tropical rain forests are considered to be marginal environments for humans, and as foragers and farmers ostensibly occupy two different niches, exploiting different resources, any redistribution of food-stuffs, commodities and labor through exchange is likely to affect both net returns to forager and farmer subsistence, and the density dependent constraints associated with each practice. Changes in constraints to subsistence as a result of exchange will concomitantly affect population size and distribution, which in turn will affect land-use and resource availability. It can thus be seen that the advent and evolution of an exchange relationship will have a profound, cybernetic effect on both forager and farmer populations, and the form and consequences of their subsistence practices. Given this, it is not surprising that forager-farmer exchange has attracted the attention of researchers interested in subsistence and resource use within rain forest ecosystems.


The Efe foragers (pygmies) and Lese farmers of the Ituri rain forest of northeastern Zaire (Figure 1) are presently involved in a complex exchange relationship that functions both at economic and social levels (Bailey and DeVore, 1989; Grinker, 1990). This relationship has been an integral part of Efe and Lese life for sufficiently long for them to share a common language<sup>1</sup>,

---

<sup>1</sup> The Lese-Dese and Efe speak mutually intelligible southern sudanic languages (KiLese and KiEfe respectively) that differ somewhat in pronunciation and use different names for some forest plants and animals.

affecting subsistence practices and settlement patterns (Bailey and DeVore, 1989). In order to determine the relative costs and benefits of involvement in the exchange relationship, we need to accrue information from a variety of sources.

Research on contemporary exchange systems certainly provides useful empirical data on the prevailing economic and social impact of exchange on forager and farmer subsistence (Bahuchet and Guillaume, 1982; Peterson, 1978; Tereshima, 1986; Grinker, 1989). However, human subsistence practices are seldom static over time. Settlement patterns change, new crops, weapons, and technologies are introduced, cultivation methods are altered, and market economies develop and collapse. Exchange relationships between foragers and farmers exist within this dynamic framework and must necessarily be responsive to environmental, social, economic and technological change (Headland, 1988). This concept of change is particularly important because past subsistence decisions have the capacity to constrain future subsistence options, and can thus be instrumental in shaping the exchange relationship. The social and economic costs and benefits of involvement in an exchange relationship are not only a function of present day conditions, they are related also to why the relationship first was established, as well as the causes and



**Figure 1** The Ituri Rain Forest of Northeastern Zaire

consequences of change over time (Headland, 1986). Thus, in order to fully understand present day forager and farmer exchange, we must place these subsistence practices within their dynamic, historical context.

The intent of this paper is to highlight the importance of a historical perspective when

examining forager and farmer exchange. The paper is based on interview data with Efe and Lese men and women collected in the Ituri during a total of 24 months of field work conducted between January 1982 and June 1983, and between January and June of 1988. These data were augmented with information gleaned by other members of the Ituri Project (Bailey and DeVore, 1989) during their field work, and by reference to the literature. This paper is an attempt at reconstructing a chronology of human resource exploitation and land-use within the Ituri Forest, proposing how subsistence practices of Efe foragers and Lese farmers are likely to have changed over time, and describing how these subsistence practices were intimately connected through an exchange relationship. The reader should be aware that any attempt at reconstruction of past events, particularly within non-literate societies, is fraught with opportunities for misinterpretation. And more seriously, perhaps, this approach allows the author to impart a sense of the absolute nature of events rather than conveying to the reader that this constitutes but one plausible explanation for past events. The reader should thus understand that many statements made in this paper are by their very nature not factual, because no facts other than those remembered in oral traditions exist for these cultures prior to European and Arab contact in the late nineteenth century. Regardless of this caveat, even a largely hypothetical historical perspective on forager-farmer exchange is valuable because: 1) it reminds us that the accoutrements and practices of subsistence level societies are not static, but have changed considerably over time; and, 2) it demonstrates how the present form of the forager-farmer exchange relationship is a result of a dynamic process which has been driven and constrained by social, economic and biotic factors.

This paper is divided into a series of plausible historical episodes spanning from preagricultural times to the present day. At each juncture we will attempt to reconstruct how and why human subsistence practices changed, and discuss how these changes are likely to have affected the forager-farmer exchange relationship.

### **PRE-HORTICULTURAL SUBSISTENCE**

Although archaeological evidence is slim and often conflicting (Fisher and Strickland, 1989a,b; Van Noten, 1977, 1982), it is likely that farmers did not inhabit the Ituri forest until the first millennium A.D. (Alexander and Coursey, 1969; Birmingham and Martin, 1983; Ehret, 1982, 1984; Harris, 1976; Miracle, 1967, 1973; Purseglove, 1976; Shaw, 1976, 1977; Van Zinderen Bakker, 1976; Vansina, 1990). Prior to this it is believed (Berry et al., 1986; Cavalli-Sforza, 1986; Turnbull, 1965, 1983) that the Ituri was populated by the predecessors of today's Efe (pygmies).

What resources were available to these tropical moist forest foragers? Unlike most rain forests which have a primarily arboreal fauna, the Congo Basin forests such as the Ituri also contain a diverse and abundant terrestrial fauna (Hart et al., 1986; Wilkie 1987). In fact, the Ituri may contain the highest faunal biomass of any lowland African forest (Hart, 1985; Wilkie, 1987). In contrast to the Ituri's abundant, if exceedingly lean, faunal resources, carbohydrates are relatively scarce (c.f Hladik et al., 1984), patchy, seasonally available (Hart and Hart, 1986) and, in respect to forest yams<sup>2</sup>, are often difficult to harvest (Chikwendu and Okezie, 1989) and may

<sup>2</sup>

Hladik et al., (1984) have undertaken the only study to examine the composition, spatial dispersion and

contain toxic secondary chemicals that require elaborate processing before they are edible (Wilkie, 1988; Coursey, 1967; Burkill, 1939). The ancestors of today's Efe probably lived by foraging for, amongst other things, wild game, fish, honey, fruits, nuts, and tubers (Bailey and Peacock, 1988; Motte, 1980; Tereshima, et al., 1988). Much as today, Efe men reported that their ancestors used bows and arrows to hunt<sup>3</sup>, either alone or in cooperative groups of 4-20 men. Men also extracted honey, and foraged for mushrooms, giant snails, tortoises, and forest fruits and nuts. Women practiced dam fishing, and gathered tubers and bulbils of forest yams, as well as forest fruits and nuts. Although the Efe exploited a wide variety of forest foods (Ariotti, 1985; Ichikawa, 1987; Tereshima et al., 1988) the paucity and spatial dispersion of carbohydrate resources is likely to have constrained fecundity and population density (Kelley, 1983), and forced foragers into small, mobile, wide-ranging groups (Fisher and Strickland, 1989a<sup>4</sup>) that only coalesced during periods of relative abundance, such as honey season (Ichikawa, 1981).

Although shortage of carbohydrate resources may have made the Ituri a marginal habitat for foragers, it was likely capable of supporting small human populations (Bahuchet, et al., 1991), as recent radiocarbon dates of charcoal found in association with potsherds and quartz artifacts in rock shelters in the Ituri suggest that foragers preceded farmers into this region (Fisher, 1991; cf. Bailey, et al., 1989; Bailey and Headland, 1991; Hart and Hart, 1986; Headland and Reid, 1989a,b). Though Headland and Bailey (1991) hypothesize that human foragers could not live in tropical rain forest environments independently of horticultural products, recent archeological evidence (Endicott and Bellwood, 1991; Fisher 1991), and for the case of central African pygmies, ecological, ethnohistorical and linguistic evidence (Bahuchet, et al., 1991) refute this. For the resource base of the Ituri to have precluded occupation by foragers, convincing evidence would have to demonstrate that: 1) returns from foraging were on average less than travel, search, handling and maintenance costs incurred by foragers; and/or 2) seasonal variance in food availability was such as to make net returns from foraging zero or negative for a period sufficient to adversely affect fecundity and mortality.

Although Hart and Hart (1986) took the first steps to examine this issue, we should be

(..continued)

abundance of tuberous carbohydrate sources within an African moist forest. Their data show that open forest areas and forest edges contain the greatest abundance of *Dioscorea spp.* yams, but the majority of these are quite toxic. Closed forest typically contains a much lower biomass of tubers but they are usually palatable and have a high starch (80%) and protein (10%) content by weight. Hladik et al. estimate that in the Lobaye District of the CAR a 50km<sup>2</sup> region occupied by Aka pygmies contained a standing crop of 5,000kg of wild yams that would be available throughout the year.

<sup>3</sup> For detailed information on Efe and Mbuti hunting and foraging techniques, and plant and animal utilization please refer to Harako, 1976, 1981; Ichikawa, 1978, 1981, 1983; Tanno, 1976, 1981; Tereshima, 1983; Tereshima et al., 1988

<sup>4</sup> Oral histories suggest that traditional camp composition was not much different from that of present day Efe. Camps are composed of 1 to 8 families (6-30 people), and consist of set of domed, leaf-tiled huts set in a rough semicircle surrounding an open communal space (Fisher and Strickland, 1989a). Camp composition varies widely with divisions occurring at the household level. Efe residence are primarily virilocal and most camps are made up of loose patrilineal clans.

cautious in our interpretations of the results (Tereshima, 1987), as their study concerned only presently foraged foods within one small section of the Ituri. To truly determine whether foragers could sustain themselves solely from forest resources, the abundance, nutritional composition, net foraging returns, and seasonal availability of historically important food species must be assessed within forager designated areas. The extent and spatial dispersion of such areas must then be mapped for the Ituri in general. Only with these data can we ascertain if, and how many, foragers could be supported by forest resources in the absence of agricultural crops.

Prehorticultural occupation of the Ituri, if it were indeed possible, would likely have seen small groups of Efe foraging widely throughout the forest, to exploit a broad range of spatially dispersed, seasonally available resources. Although protein sources were readily available and may even have been used as important sources of calories, carbohydrates were limited and probably placed severe constraints on population growth and density.

### THE ADVENT OF HORTICULTURE IN THE ITURI

Efe subsistence practices and their impact on the forest probably did not change much until the expansion of horticulturalists into the forest. Extensive occupation of the Ituri by farming societies could have occurred at two or three different times in history, depending upon what one considers are the essential criteria for establishment of rain forest cultivation (Clark and Brandt, 1984; Harlan, et al., 1976). Widespread farming within Africa's rain forests requires suitable crop plants, and the availability of iron tools. The former is obviously essential. Absence of the latter probably did not preclude agriculture (c.f. Clark, 1962, 1967; David, 1976) in the Neolithic, but must certainly have limited what areas could have been effectively cleared and cultivated (Carneiro, 1974, 1979; Colchester, 1984; Coles, 1979; Coursey, 1976).

#### Indigenous versus introduced crops of Africa

Africa is relatively species poor in its set of indigenous domesticated plants (Norman et al., 1984). Of those domesticates, *inter alia*: millet, sorghum, and eleusine, most are suited to seasonally dry climates and cannot tolerate conditions prevalent in the Congo Basin forests. Only oil-palm (*Elais guineensis*), legumes of the *Vigna* genus such as cowpea<sup>5</sup>, watermelon (*Citrullus vulgaris*), several species of *Dioscorea* yam (*D. rotundata*, *D. cayensis*, *D. preussii*, *D. dumetorum*, and *D. bulbifera*), bambarra nuts (*Voandzeia subterranea*) and coffee (*Coffea spp.*) are both indigenous to Africa, and rain forest tolerant<sup>6</sup>. Modest farming could thus have theoretically commenced in Zaire's forests in the early Neolithic (5-10 thousand years b.p.), using stone tools, and cultivating oil-palm, cow-peas, and yams.

The major invasion of the forest by farming societies probably did not occur, however, until some time in the first millennium A.D. This was facilitated by the introduction of bananas (Vansina, 1990) and several genera of starchy tubers/corms by Arab traders (*Dioscorea*, *Colcasia*

---

<sup>5</sup> Cowpeas are presently grown in association with millet and sorghum in drier parts of Nigeria, but are considered somewhat moist tolerant.

<sup>6</sup> As all these species are most abundant on the forest/savanna ecotone, they are most likely rain forest tolerant and not rain forest dependent (Harlan et al., 1976).

and *Xanthosoma*) from southeast Asia (Clark, 1962; Harris, 1967; McMaster, 1962; Murdock, 1959; Purselove, 1976; Shaw, 1976, 1977), and the advent of iron tools (Oliver and Fagan, 1975; Van Noten, 1985).

A further expansion of agriculture is likely to have occurred in the seventeenth century when the majority of Africa's present day crops, inter alia: maize, cassava, sweet potatoes, peanuts, beans, squash, and papaya, were brought from the Americas by the Portuguese, who had established trading/slaving settlements along the Atlantic Coast (Miracle, 1973; Normal et al., 1984).

Farming in the Ituri may therefore have been possible as early as five to ten thousand years ago. However, only with the introduction of bananas (approximately 2000 years b.p.), and the spread of their cultivation from East Africa is it likely that the forest became a viable landscape for horticulturalists<sup>7</sup>.

#### Farming in the Ituri forest up to the 1900's: Precolonial land-use

The southern Sudanic-speaking Lese and Mamvu are presently the most widely distributed horticulturalists within the Ituri (Figure 1), and based on linguistic divergence of the many subtribes, were probably the first farmers to have inhabited the Congo Basin's northeastern forests (David, 1982; Ehret and Saxon, n.d.; Joset, 1949; Van Geluwe, 1957). The Lese are virilocal, with fathers and sons living within the same village. Oral histories mention that prior to the 1940's, the Lese were dispersed throughout the forest, with each village usually situated close to a perennial stream or river. Village size ranged from a single family unit (4-6 individuals) to not more than four or five families (20-30 individuals). Each family lived in a circular or rectangular latticework house constructed of saplings bound with vines, and tiled on the roof and sides with large *Marantaceae* leaves (Schebesta, 1933, 1936; Schweinfurth, 1874). Patrilineal clans lived in discrete areas within the forest, with acknowledged title over the land. Internecine conflict was reportedly common (Waehele, 1986; Schebesta, 1933) and the walls of houses were often fortified against spears and arrows, with boards made from the split sections of young *Musanga cecropioides* trees - a soft-wood that hardens when dry. In some cases houses were built contiguously in a rough circle, producing a protected social area in the center and only one entrance to defend (Stanley, 1891).

#### Traditional Lese horticultural practices

How did Lese farmers' subsistence practices differ from those of the foragers, and what was their effect on Efe subsistence? As one might expect, the annual cycle of Lese activity would be tied to the needs of preparing and cultivating fields, rather than to tracking the availability of spatially dispersed forest resources.

Traditionally, each Lese clan held tenure over a certain region of the forest, and although the location of villages was changed episodically, clans tended to remain within their own sections of the forest. Resources such as mature forest, springs and rivers were the common property of all members of the clan. However, once a piece of land was cleared by a family within the clan,

<sup>7</sup>

Vansina (1990) writes that the northeastern forests of the Congo Basin were the last to be occupied by Bantu and Southern Sudanic speaking farmers.

members of that family retained the right to use the land unless they stated explicitly that they were no longer interested in it. At that time, the land once again would become the common property of the clan.

Although precolonial agricultural practices of the Lese are not known with certainty, interview data and recent observations suggest the following scenario for the annual cultivation cycle.

Each year, during the heavy rains of October to December, all adult males would search within the clan's usufruct for a new area to clear for cultivation. Fields were selected according to the absence of sand in the soil (high proportion of humus), the ease with which small saplings could be uprooted, and the presence of Sini (*Ataenidia conferta*), a Marantaceae herb; these criteria were reported to be characteristics of fertile areas. If several suitable areas were found the Lese would pick those areas closest to the village or to the previous year's fields, thus minimizing travel distance and the need to clear new trails (Wilkie and Finn, 1988). In general, a section of mature/uncut forest or post-cultivation successional forest that was at least 15-20 years old would satisfy these criteria.

Starting in November, understory vegetation was cleared using small machetes and axes<sup>8</sup>. Once understory saplings, small trees and herbaceous vegetation were cleared, work began on the large canopy trees. Canopy trees in the Ituri are often 100-150ft tall with buttresses that extend from the ground to about 15ft up the bole (Germain and Evrard, 1956; Lebrun, 1936; Lebrun and Gilbert, 1954). To help cut these down, farmers constructed vine and sapling scaffolds at the top of the buttress. As work progressed on the largest trees, smaller ones in its fall zone were partially cut, with the hope that the weight of the large tree would topple the rest as it fell<sup>9</sup>. Tree cutting is likely to have continued through the month of December. This coincides with the beginning of the Ituri's only dry season, where rainfall diminishes or is absent from January to March (Bailey and Peacock, 1988). Once the trees had been felled, major branches were pruned and banana suckers/sprouts planted amongst the debris. The cleared field continued to dry until just prior to the onset of rains, at which time it was torched. Burning was seldom complete, and soil temperatures never became very high, so the preplanted bananas were scorched but not killed (Lacomblez, 1918; Miracle, 1967). At this stage further pruning and reburning often occurred and planting continued. Bananas, several varieties of yams, colcasia, a climbing curcubid grown for its seeds, and several varieties of cassava grown primarily for their edible leaves were intercropped (Lacomblez, 1924). Sesame was often planted in pure stands beside other crops, or in cleared areas near the village<sup>10</sup>. Weeding in traditional Lese fields was reported to be minimal,

---

<sup>8</sup> Interviewees repeatedly noted that the Lese were once able to smelt iron from local ore. Although this skill has apparently been lost, many Lese still hot-work metal tools on charcoal fires fanned by ingenious leaf bellows attached to clay tuyere that funnel the air to the center of the fire.

<sup>9</sup> The Lese technique of "serial toppling" is common amongst all tribes of the Ituri. As this was apparently one of the most important methods used by stone-axe wielding farmers (Colchester, 1984) the Lese may have entered the forest prior to the advent of iron tools.

<sup>10</sup> It is interesting that sesame was reported to be an important traditional crop of the Lese because its cultivation is primarily associated with horticulturalists like the Zande and Mangbetu (DeSchlippe, 1956) who inhabit the savannas north of the Ituri. This may confirm that the Lese were practicing horticulture in the savannas relatively

as the weed seed bank in uncut or old successional forest was small. Most crops were harvested as they ripened over the 12-18 months subsequent to burning. Bananas, with some minimal tending, were expected to continue to clone and produce fruit for three to five years. Gradually as fields became less productive they were tended less frequently and were recolonized by successional herbs and shrubs. Stump resprouting often quickly reestablished the woody vegetation.

#### Important factors associated with traditional farming practices

The annual clearing cycle, with bananas being harvested up to five years after planting, must have served as an effective risk management system. Failure of a year's crop through the vagaries of weather or pests may have been somewhat offset by the existence of several spatially separate fields that harbored, at least, the remnants of previous banana crops. Bananas might therefore have acted as a living larder for the Lese. Oil palms and raphia palms which are not exploitable until four to seven years after planting might also have contributed to an hedge on crop failure, with the Lese consuming the oil rich fruit, or sweet fermented sap. However, Schweinfurth (1874) reports that neither oil nor raphia palms were common amongst the Lese, and that tapping of raphia palms was supposedly unknown until introduced by the Arabs in the late 19th century. Bitter cassava may remain in the ground for 18-24 months and is used as a living larder by farmers in rainforest Central African Republic. The Lese plant only sweet cassava which becomes woody and inedible 6-12 months after maturation and is therefore less effective as an old field food source.

Traditional Lese crops, specifically bananas, are well suited to cultivation in fields cleared from mature forest or late *Musanga cecropioides* secondary forest. Bananas, although able to grow in relatively poor nutrient conditions, prefer high organic soils, and if planted in such will continue to clone and produce substantial fruit heads for several years (Martin, 1984). In addition, the use of mature forest, with its characteristically small weed seed bank, minimizes competition with crops for soil nutrients, and reduces labor required for weeding (Miracle, 1967; Vasey, 1979). Another factor associated with the traditional Lese practice of clearing mature forest: most of the cucurbits and yams grown for their oily seeds or starchy tubers are climbers and use the fallen trees as support. Without an extensive network of unburned trees and branches, much of the gourd crop would rot on the ground. The Lese, unlike other forest farmers (Vansina, 1990) apparently did not build sapling lattices upon which the yams could climb.

Both planting and harvesting of these traditional crops is relatively non-synchronous. Crops are planted episodically during and after field clearing. Similarly, crops are harvested according to need, and as plants mature. Thus, horticultural labor costs are spread over the productive life of the field. This is very unlike the labor intensive synchronous planting and harvesting associated with the commercial monocultures of temperate agriculture.

Traditional Lese horticulture was most likely characterized by:

- 1) a long fallow system that ensured restoration of soil nutrients;
- 2) high labor costs only during the brief months associated with field clearing;

(..continued)

recently, or that communication networks with the savanna horticulturalists existed throughout their occupation of the forest.

- 3) asynchronous planting and harvesting of crops over the productive life of the field;
- 4) access to several spatially dispersed fields in various stages of abandonment that were still yielding bananas for up to five years after planting;
- 5) production of climbing crops such as the cucurbits and yams that depended upon unburned trees and branches for support.

#### Use of forest resources by Lese farmers

Traditionally the Lese also made use of forest resources to supplement their cultivated foods. Fish and crustaceans were captured with woven fish traps, dams and traditional poisons (*Tephrosia vogelii*), and bushmeat was trapped using *Raphia vinifera*/vine snares. Limited foraging for fruits, tubers (*Dioscorea spp.*), nuts (*Irvingia spp.*, *Ricinodendron heudelotii*, *Fagara macrophylla*; the latter was used as a source of cooking oil), etc., also occurred.

#### Impact of the establishment of agriculture on the Efe foragers

What were the new subsistence opportunities available to Efe foragers with the establishment of farming in the Ituri? As a diet low in calories will adversely affect the fecundity of Efe women, increasing access to carbohydrates and fats would have accrued fitness benefits to both Efe men and women. Thus, farmers' fields with their high density of calories relative to the forest were likely to have constituted potentially profitable new foraging patches for individual Efe.

Bananas, the traditional staple of Ituri forest farmers (Lacomblez, 1924), mature throughout the year and can be stored for several days prior to consumption. Bananas are thus a transportable, more predictable, less seasonal source of carbohydrates than most of the wild foods foraged by the Efe (Hart and Hart, 1986). In addition, unlike many wild sources of carbohydrates that contain physical and chemical anti-herbivory defenses which require considerable processing to remove, bananas have no such mechanisms and they are easily processed. We might therefore predict that cultivated crops quickly would become favored foods, and that farmer's fields would constitute a preferred foraging patch for the Efe.

How might the Efe have obtained these new carbohydrate resources? Three options were open to them: a) become farmers; b) steal from the farmers; c) trade with the farmers.

At low population densities adoption of farming by individual Efe would be unlikely. Why would the Efe incur the learning cost associated with adoption of a new subsistence practice when other less costly ways of obtaining cultivated crops are available?

Travel and search costs associated with stealing cultivated crops from farmers' fields were likely to be considerably less than those associated with gathering dispersed, patchy forest resources, and processing costs are certainly less for cultivated carbohydrates. Thus, the proximate costs of theft were likely to be quite low in comparison to the cost of gathering. However, theft would be tolerated by the farmers only up to the point where the costs to increase production equal the risk associated with defending the resource<sup>11</sup>. If a Lese was dependent almost solely on the cultivated crops within his own fields for subsistence, whereas an Efe could

<sup>11</sup> Schebesta (1933 p214) notes that "the pigmies plundered the banana plantations.. with the result that on this score alone many fierce encounters took place between the races."

raid several fields and gather in the forest, it is reasonable to expect that a Lese would be willing to risk more to protect his crops than the Efe would be willing to risk to steal them. Thus the ultimate costs of stealing would be higher than the proximate costs, but they would still likely be lower than those associated with gathering.

What did the Efe have available to trade? As the packet size of currently foraged items is variable and often quite large (Bailey, 1985; Tereshima, 1983; Wilkie, 1987, 1989), occasional surpluses were likely to have existed that could be traded for cultivated crops. Efe women could also trade labor or sexual favors<sup>12</sup>. Although the proximate costs of trading were likely to have been higher than those of stealing, the risk involved in the latter would suggest that an equilibrium would have developed where the Efe would have differentially employed both methods of procuring cultivated carbohydrates from the farmers. Thus, the Efe would be expected to have stolen and traded for cultivated crops. Based on oral histories and direct observations this is exactly what the Efe did, and still do.

Ready access to carbohydrates was probably the most important consequence of the invasion of the forest by horticulturalists, at least as far as Efe women's workloads were concerned. Yet, if occupation of the forest by farmers coincided with the advent of iron making technology, Efe men and women would have been able to replace their stone tools with those forged by the Lese. Although no direct evidence exists in this case, we can be fairly sure that the efficiency of any activity in which stone tools were replaced by iron implements would be enhanced (Carneiro, 1979; Salisbury, 1962). Increased hunting/foraging efficiency would probably have allowed Efe men to increase the surplus they had available for trade, and would have reduced the time Efe women spent foraging. Both of these factors would, as previously suggested, most likely have had cybernetic impacts on subsistence practice, the exchange relationship, and population size and distribution.

For the Efe, the most significant result of trade with the Lese would likely have been an increase in population size and a reduction of nomadism. Once the Efe population had grown beyond what could be sustained solely from foraging forest products, they would have become dependent on trade with the Lese for subsistence and could not be expected to go back, en masse, to a foraging lifestyle.

#### Willingness of the Lese farmers to trade with the Efe

Although the Efe had much to gain from trading with the Lese, why would the farmers have wanted to provide cultivated crops, iron implements and pottery to the foragers?

Willingness to trade depends on whether there was a demand amongst the Lese for Efe trade items, and what the costs of not trading might have been.

If the Lese did not trade with the Efe, the foragers would undoubtedly have raided the farmer's fields. Theft of cultivated crops by the Efe was a source of strife in the past (Schebesta, 1933) and is still a component of the present day forager-farmer relationship. By not trading, the

<sup>12</sup>

Efe women (and men) presently work in Lese fields during labor intensive periods such as clearing. Lese oral histories say that Efe exchange labor started only as recently as the colonial period. Although it has not been empirically shown that Efe women trade sexual favors for access to cultivated crops, many Efe women do leave the camps to live in villages and eventually marry Lese men (Bailey, 1985; Tereshima, 1987). This may be motivated by the higher availability of carbohydrates in the village.

Lese would have incurred the costs of lost production and of investment in defense, yet would have gained no obvious benefits. Thus, one would predict that not trading would have been an unlikely strategy for the Lese.

Cultivated crops that characterize agriculture in rain forests throughout the world tend to be high in carbohydrates but poor in protein, fat, and essential vitamins and minerals (We Leung, 1968). It is therefore possible that forest resources such as meat, insects, honey, fruits and nuts might have constituted important dietary supplements for the Lese, and thus would have been in demand. However, the Lese traditionally used a variety of leg and neck-hold snares, dead-falls, and spear traps to capture forest antelope, primates and birds, and would thus only be likely to trade for meat if the cost of trading was less than the cost of trapping.

Although it is possible that protein acquisition for the farmers was less costly through trade than through trapping<sup>13</sup>, we believe that the farmers either were: 1) merely tolerating the exchange system, as it incurred lower costs than not trading; 2) employing Efe labor during peak times in the farming cycle to compensate for crop production losses; or 3) including reproductive access to Efe women in their decision to continue trading despite higher subsistence costs.

#### Other consequences of trade between foragers and farmers

Although speculative, it is likely that once the nomadic foragers began to trade with the much more sedentary farmers, diseases associated with sedentism became much more prevalent amongst the Efe (Cohen, 1976). Intestinal parasites, malaria, schistosomiasis, and scabies are a few of the diseases whose incidence might have increased amongst the Efe. How severe an impact they had on Efe health is difficult to assess, when at the same time Efe dietary sufficiency was changing. Regardless, the spectrum of diseases that afflicted the Efe probably increased as a consequence of contact with the Lese.

### **CHANGES ASSOCIATED WITH THE ARAB SLAVING PERIOD**

During the latter half of the nineteenth century Arab traders/slavers made increasing forays into the savannas north and south of the eastern sections of the Congo Basin forest (Gray, 1961; Schweinfurth, 1874). With the aid of the Mangbetu, slaving and ivory raids expanded into the forest. Although the Arab influence in the region was short-lived, spanning from the 1850's to the 1890's when slave traders were crushed by the army of the Congo Free State led by Baron Dhanis (Johnston, 1913), they had a profound impact on the demography, economy and language of the Ituri. The Arabs brought the Swahili language with them, from which developed the KiNswana dialect, which was used to communicate with the linguistically varied tribes of the area. Advent of a trade language, when coupled with access to trading routes, would have substantially opened up the region to long distance exchange of commodities and ideas. New hut designs and village arrangements were introduced, as were firearms and several new crops *inter alia*: rice, peanuts, beans, lemons, tobacco, and avocados (De Schlippe, 1956; Lacomblez, 1924; Van Geluwe,

<sup>13</sup>

The Boyela farmers of the central Congo Basin do not have an exchange relationship with sympatric forest foragers. In order to obtain protein they set snares proximal to their villages and organize bow hunting trips that often last 4-6 weeks (Sato, 1983). Although it is difficult to determine whether game densities and hunting techniques are equivalent to those available to the Lese in the Ituri, it does show that at least in some sections of the Congo rain forest ecosystem farmers are capable of supplying their own bushmeat.

1957). Miracle (1967) comments that "little is known about the Arab's methods of establishing new crops, but in some instances they used coercion to effect the adoption of rice." This contention is supported by Tharin (1915) and Hargot (1955), who worked in Arab occupied forests and savannas south of the Ituri. Tharin (1915) also credits the Arabs with introducing palm oil extraction and distillation. During this period the Efe were used extensively as guardians/watchmen for the Lese, forewarning them of the approach of strangers.

### THE BELGIAN COLONIAL PERIOD

As soon as Henry Morton Stanley traversed the region between 1875 and 1877, changes in traditional subsistence practices of the indigenous population began to accelerate. With the creation of the Congo Free State in 1884, the roadless terrain of the Ituri was extensively exploited for wild rubber (*Landolphia spp.* and *Funtumia elastica*), and ivory. This and the subsequent establishment of the Belgian Congo in 1908 signalled the beginning of an ever increasing European influence on Lese subsistence practices.

The dispersed settlement patterns of Ituri forest horticulturalists were considered "a hindrance to the development of *permanent* villages and towns, central political bodies, advanced societies, and *an agriculturally based market economy*" (Ruthenburg, 1976; Anon, 1949). Belgian colonial policy (1920's-40's) resulted in the resettlement of forest farmers, such as the Lese, alongside roads that were built with their labor.

#### Impact of the Colonial Period on the Lese

From 1908 to 1933 the Belgian government under the Colonial Charter attempted to provide "native autonomy" by recognizing traditional chiefs as legitimate agents of local government in the colony. However, the Belgians had great difficulty in balancing the goals of indirect rule with the realities of direct administration. As a result, in 1933 the Belgians reorganized the colony's administrative structure, creating regional chiefdoms as part of a new hierarchical political structure, designed to coordinate extraction of wild rubber, development of a road infrastructure, and planting of new crops for external markets. These new chiefdoms reflected an external rather than internal political structure and de-emphasized the importance and power of the traditional chefferie (chiefdoms). The new political structure with Belgian rules and regulations enforced by a police force recruited from farmers rather than foragers established the political dominance of the Lese over the Efe.

Once moved to permanent villages on the roads, the Lese were forced to plant crops such as cotton and peanuts (Leplae, 1929, 1933). These new market crops were grown for sale to the state as export items and to feed the Congo's growing urban populations (Anon, 1949).

Enforced resettlement and planting of "les culture obligatoires" had a profound effect on Lese farming practices and subsistence economy. Population density must have changed dramatically as dispersed villages were resettled along the three roads that traverse the forest (Figure 1). Farm land previously selected by the Lese and passed on from generation to generation within the same patriclan was now selected, de facto, by Belgian engineers who were more interested in determining the best routes for road construction.

Introduction of cotton, rice and peanuts as market crops most likely resulted in increased labor costs, seasonal labor shortages, and the shortening of fallow periods. According to the

Lese, the larger fields necessary to produce crops sufficient for both subsistence and market production led to Efe employment from November through January of each year to help clear the fields. Labor demands for clearing larger fields also reportedly resulted in a shift from cutting labor expensive mature or old/fallow forest to clearing much easier shrub/fallow vegetation<sup>14</sup>.

The shift from old to young fallow fields results in an increase in weed growth, and must have been associated with higher weeding costs (Miracle, 1967; Vasey, 1979). The reduced humus and nutrient content of short fallow fields also affects banana productivity, such that they are only able to clone and produce for one or two years (Martin, 1984). Low soil fertility, associated with clearing young fallow vegetation, is likely to have resulted in a progressive shift from bananas to cassava as the staple starch crop. Cassava is more tolerant of poor soils, and although the tuberous roots can remain in the soil for some months, they become progressively fibrous, and the parent plant does not clone for extended production like bananas. It is certainly possible that reduction in banana productivity and an increased reliance on sweet cassava greatly diminished the Lese's living larder and hedge on periods of food shortage. This shift in major crop may contribute to the nearly annual hunger season experienced by present day Lese (Jenike 1989), which was apparently unheard of in the past.

Unlike traditional staples such as bananas and cassava, crops such as rice and peanuts require the storage of seeds for subsequent planting (Johnston, 1958). Cultivation of these crops demands the construction of containers, and pest and rot-proof storage areas to preserve the seed. During periods of food shortage, rather than being able to depend on the extended production of cloned bananas, the Lese at present often have to eat part of their seed stores. The lack of a traditional hedge on food scarcity produces a cycle of moderate crop failure, food shortage, consumption of stored seeds, subsequent reduction in field size and crop yield, which lead back to food scarcity (Jenike, 1989; Martorell and Arroyave, 1988; Miracle, 1961; Pagezy, 1983). The prevalence of this cycle is difficult to assess, although since 1980 shortages of varying severity have been evident each year. Each period of food shortage results in consumption of stored seeds, and reduces crop production in the subsequent year (Jenike, 1987; Kumar, 1988).

Just as market cultivation placed heavy demands on available labor during field clearing, so too did the synchronous planting and harvesting of cotton, rice and peanuts (Fox, 1953). The Lese once again found it necessary to employ the Efe to assist in these short-duration, seasonally labor intensive activities.

#### Impact of the Colonial Period on the Efe

Resettlement of communities dispersed throughout the forest to permanent villages bordering a few roads is likely to have caused an increase in local population density. This would have reduced the area in which an Efe band could forage while still avoiding conflict with

<sup>14</sup>

The shift to creating fields from shrub/fallow vegetation may also have been in response to the introduction of peanuts. Peanuts produce a subterranean indehiscent pod attached to a well-developed lateral root system. Once ripe the pods are extracted from the soil by drawing on the senescing surface stems. If peanuts are planted in fields cut from mature or old/fallow forest the root mat snags most of the subterranean pods making harvest losses excessive. Peanuts must therefore be planted in old/fallow forest fields that have already undergone one years cultivation, or in fields cleared from 3-5 year-old shrub/fallow vegetation both of which have a loose friable soil with either a decomposed or poorly developed root mat.

proximal groups. Assuming that the Efe still desired to retain access to cultivated crops through trade, a reduction in foraging area or exclusive use of a foraging area likely would have resulted in increased hunting pressure within that area. As empirical data have shown that more intensive hunting surrounding permanent settlements causes local changes in game diversity and density (Wilkie and Finn, 1990<sup>15</sup>), we might expect the Efe to have obtained a tradeable surplus of meat less frequently. Therefore, while the Efe were likely pursuing a way to maintain their supply of cultivated crops as foraging became increasingly costly, the Lese were probably seeking a way to increase their labor force. It is not very surprising that at this historical juncture, the Efe, and Efe women in particular<sup>16</sup>, reportedly began working more regularly as field laborers.

Incorporation of field labor as a regular, daily exchange item would have changed the constraints of Efe subsistence to something more like that of the farmers, as Efe costs became more labor, and less natural resources limited. It would also have further diminished the importance of forest resources in the diet of both Efe and Lese, and conversely placed cultivated crops at a new level of importance in sustaining both foragers and farmers.

#### Advent of a monetary economy

Although market cultivation certainly must have increased the annual work load of both Lese and Efe, the returns on that investment came largely to the Lese, who sold and were thus paid for the crops. While the advent of market cultivation infused substantial amounts of cash into Lese households, this was not the case for the Efe. Rather than receiving cash for their contribution to the market economy, Efe field labor simply replaced traditional forest commodities in the exchange relationship with the Lese. Thus, whereas the Lese were able to purchase commodities such as cotton cloth, cookware, tools, salt, and soap that were previously unavailable in the region, the Efe were only able to obtain these items through the "largess" of the Lese. Therefore the Lese not only had control over 60% of the Efe's annual calories (Bailey, 1985), they also monopolized all the new commodities that appeared with the advent of the cash economy. Efe dependence on the Lese therefore must have concomitantly increased as a result.

#### Impact on the exchange relationship

The dramatic changes in settlement patterns, population density, subsistence behavior, and market economy that were a consequence of Belgian colonial policy must have had an equally profound impact on Lese and Efe dependence on exchange. Although Lese farmers required the labor input of the Efe in order to clear and cultivate the much larger fields associated with market production, they were also the primary beneficiaries of the financial and material profits from commercial agriculture. The Lese, maybe for the first time, were gaining substantially from the

---

<sup>15</sup> Bahuchet and Guillaume (1982) document a similar transition for the Aka of the CAR: decreased nomadism, foraging from village rather than forest camps, reduction in the travel distance and duration of hunting trips, an increased dependence on agricultural crops in the diet, a decrease in "big game", and a focus more on small duikers, rodents, and porcupine (See also Eder, 1978, 1984).

<sup>16</sup> Efe women have the most to gain from all types of trade that might secure a reliable supply of palatable carbohydrates, as gathering carbohydrates was traditionally their responsibility (Peacock, 1985).

exchange relationship. The Efe on the other hand, were rapidly moving toward a position of servitude, being dependent on trade but having little control over the value of their major trade item, labor.

As foraging forest foods became more expensive as a result of resettlement, the Efe would have had to depend more on labor as an exchange item in order to secure a reliable supply of cultivated carbohydrates, which by now were essential dietary items. However, labor inputs by the Efe were not rewarded with profits from the new monetary economy; they continued to be paid by the Lese with traditional commodities such as food, cloth and implements. The Belgian colonial period therefore saw a rapid divergence of the forager's and farmer's access to labor saving and prestige commodities.

The financial solvency of the farmers and advent of a regional system of taxation further placed the Lese in a position of power over the Efe. As the Efe were unable to pay the annual "hut" tax, their Lese exchange partner would do so. This effectively indentured the Efe to their partners until the debt was paid off. The Lese could, of course, establish a repayment schedule so as to keep the Efe permanently in debt, and thus constantly obliged to them.

The Belgian colonial period resulted in a dramatic shift in the wealth of the Ituri's foragers and farmers, and the relative benefits of the exchange relationship. The Efe were no longer merely taking advantage of Lese cultivated crops as a more economical source of carbohydrates, they were by now dependent on them for daily subsistence, and thus were effectively indentured to the Lese. The Lese, conversely, were now profiting monetarily from the relationship, and had attained considerable political power over their exchange partners.

### **POST INDEPENDENCE AND HENCE**

The years that followed independence in June of 1960 were rife with political unrest in the capital in Kinshasa, and economic and social turmoil in the Ituri (Young and Turner, 1985). The Simba secessionist rebellion that swept through the Ituri in the early 1960's resulted in the disruption of food production, as farmers fled into the forest and village seed stocks were pillaged. Nationalization of businesses in 1972 precipitated a decline in the market economy and the further demise of the rural infrastructure (Kikassa, 1984).

How did this affect the Efe and Lese subsistence, and how did it alter their exchange relationship? Decrease in the market economy meant that it was no longer necessary or astute for the Lese to cultivate rice or coffee at a colonial scale. Lese labor requirements and income dwindled, as did the value of Efe labor. Yet, even in the absence of a market economy, the Lese neither returned to their historical forest interior villages nor reverted to traditional, pre-colonial cultivation practices that focused on banana production.

#### Impact on Lese subsistence

How have the last 20 years affected the Lese farmers? The gradual collapse of local and regional agricultural markets for cotton, rice, peanuts, and most recently, coffee, have certainly changed the cultivation practices, work load, and income base of the Lese. Cotton cultivation was abandoned almost as quickly as the market foundered. This is not surprising, given the intensive labor required for cotton farming, and how returns for those labor inputs are only obtained through its sale. Conversely, although markets for rice and peanuts no longer exist, most Lese continue to cultivate subsistence quantities of both crops. As production of upland rice

is usually 1/2 to 1/8th<sup>17</sup> of that expected from plantains or cassava (Tschibaka, 1989), continued cultivation of this crop may be a component in the annual hunger season experienced by the Lese (Jenike, 1989). Peanut cultivation may, as already mentioned, promote the clearing of early fallow vegetation, with a concomitant reduction in overall production. Peanuts are, however, a good source of protein and oils, both of which are otherwise scarce in the Lese diet. Agricultural sources of protein, such as peanuts, are likely to become increasingly important to the Lese, particularly if the Efe switch to farming, leaving fewer full time foragers to secure tradeable surpluses of bushmeat.

Coffee, once cultivated only on large plantations, is now produced primarily by "petite-planteurs" who manage small fields of less than one or two hectares. Although a few Lese still grow coffee, the majority of these "petite-planteurs" are Nande, Bira or Budu entrepreneurs, who have moved into the area, bought and renovated portions of abandoned plantations. A growing number of small coffee holdings are worked by Lese and Efe laborers who are employed by non-Lese managers who, in turn, oversee the plantations for absentee owners. The collapse of agricultural markets has almost eliminated the cash economy which flourished during the colonial period. Lese are able to make money by offering their labor to coffee entrepreneurs, or by selling items such as snared gamemeat or palm wine, at an intermittent local market. Lack of money has made commodities such as salt, soap, metal cookware, and cotton cloth highly coveted. These are now luxury items for the Lese, and are generally unobtainable by the Efe. As a consequence, possession of these luxury items is often hidden from relatives and from members of other villages and camps.

#### Impact on Efe subsistence

At this juncture, Efe foraging costs were high as a result of increased local population density and concomitant competition for limited resources. In addition, because of the reduction of banana cultivation and the declining value of their labor, the Efe may have been at much greater risk of a serious annual food shortage. The Efe are particularly vulnerable when Lese field crops fail or are scarce, because existing food is often stored in protected areas from which it cannot be easily expropriated. The Lese, of course, will also preferentially feed themselves, and may thus renege on long-term exchange obligations with their trading partners. Surprisingly, although the Lese show clear weight loss during hunger seasons (Jenike, 1989), Efe body weights show little change at this time. When food is short in a given area, the Efe are apparently able to maintain their dietary intake by increasing their forest foraging activities, and perhaps more importantly, by shifting their trading allegiance to those villages that still have a reasonable supply of food (Jenike and Bailey, 1989).

In order to reduce the variance in carbohydrate availability, we might expect to see the Efe switch to farming as the most economical and reliable means of obtaining cultivated carbohydrates. In fact, in the last eight years, many Efe groups have indeed started to clear their

---

<sup>17</sup>

Outputs of crops in forested regions of the Zairean Basin in kilograms of cereal-equivalents/hectare were: rice = 902; maize = 1,121; cassava = 7,673; and, plantains = 1,665. Cereal equivalents were calculated using the following conversion factors: 1.00 for maize-grains, 0.60 for rice, 0.303 for cassava, and 0.22 for plantains (Tschibaka, 1989).

own fields. This switch to farming further constrains their ability to exploit forest resources that are seasonally available, and patchily distributed, and thus continues the long trend toward dependence on cultivated crops for the majority of their diet. Switching to farming also places the Efe in direct competition with the Lese for prime agricultural lands. The consequence of this, although difficult to assess at present, might be surmised by reference to Headland's work (Headland, 1986; Headland and Reid, 1989a, 1989b), which shows that Agta forager/farmers are very often displaced from their recently cleared fields by co-resident Palanan farmers. Whether the Lese will demonstrate such despotic behavior remains to be seen.

#### Impact on the exchange relationship

How has the exchange relationship responded, over the last 20 years, to the decline in market economy, and the return to subsistence level production? Once again the relative reliance of the Efe and Lese on the exchange relationship has changed.

Many Efe are investing their labor into growing their own cassava and plantains, reducing labor available to the Lese, and perhaps affecting Lese field productivity. As more Efe begin to clear and cultivate fields on a regular basis, dependence on Lese for carbohydrates will decline, not only for the Efe cultivators themselves, but also for other foragers who may now trade within their kin group rather than with the Lese. The ability of Efe foragers to obtain carbohydrates from within their kin group will reduce the amount of meat and forest products that are available for trade with the Lese. The Lese may therefore have to make up the resulting protein shortfall through trapping or through greater reliance on cultivated sources such as peanuts and beans.

Interestingly, although cultivation of carbohydrates may lower Efe reliance on the Lese at some level, those Efe who have cleared and cultivated fields typically have done so with the permission and within the usufruct of their Lese exchange partner. How the "leasing" of secondary forest to Efe cultivators contributes to the modern exchange relationship has not yet been established. Overall there appears to be a shift towards the Efe becoming more economically independent of the exchange relationship. Whether progressive economic independence will result in social independence remains to be seen. In the Dzanga forest of southwestern C.A.R. BaAka pygmies not only cultivate sufficient crops to meet their subsistence needs but produce a surplus that they sell to workers at the local logging company. Yet, this economic independence from the bilos (villagers) has not brought with it social equality, as the BaAka are still considered second class citizens both at the local and state level, are less well educated than their bilo neighbors, and have no decision making power in community organizations dominated by bilos (Sarno, pers. comm.).

### **CONCLUSION**

Lese farmers and Efe foragers of Zaire's Ituri Forest have engaged in a dynamic social, political and economic relationship for perhaps two thousand years. Much as development of new genotypic characteristics constrains future evolutionary pathways, the historical relationship between Efe and Lese has determined, in part, what subsistence choices are available to individuals in the present. By gleaning information from direct observations and a variety of written and oral sources, a largely hypothetical chronology of changing subsistence options and practices has been offered that demonstrates how present subsistence behavior of the Ituri's foragers and farmers is a function of past decisions.

Zaire continues to struggle with self determination, causing considerable political and economic turmoil. Moreover, the recently established Okapi Wildlife Reserve will impose wide ranging resource exploitation restrictions on the inhabitants of the Ituri Forest (Curran, 1992). Understanding the historical relationship between Efe and Lese, the social, ecological and economic constraints they are facing, and the subsistence decisions they have made and are still making, is essential if development aid associated with Reserve management is to be delivered effectively and equitably.

### ACKNOWLEDGEMENTS

We would like to thank all members of the Ituri Project (Robert Bailey, Gilda Morelli, Paula Ivey, Mark Jenike, Peter Ellison, Jack Fisher, Helen Strickland, Nadine Peacock, Steve Winn, Richard Grinker, Gillian Bentley, Robert Auger, and Elisa Harrington) whose comments and suggestions contributed much to the content of this paper. All errors are solely ours however. We would also like to thank the Director of the National Museum of Zaire for continuing to support the Ituri Project. This work was supported by grants from the Eppley Foundation, National Science Foundation (BNS-8719575), L.S.B. Leakey Foundation, World Wide Fund for Nature, Wildlife Conservation International, and the Swan Fund.

### LITERATURE CITED

- Alexander, J. and Coursey, D.G. (1969). The origins of yam cultivation. In Ucko, P.J. and Dimbleby, G.W. (eds.), *The Domestication and Exploitation of Plants and Animals*,. Aldine., Chicago, pp. 405-425.
- Anon, (1949). Plan decennal pour le developpement economique et social du Congo Belge. *Les editions des Visscher Tome I et II, 601pp*:
- Aroiti, M (1985). Edible animals of the Ituri forest, Africa in the ethnozoology of the EfeBaMbuti. *J.Ethnobiol.* **5(1)**: 21-28.
- Bahuchet, S. and Guillaume, H. (1983). Aka-farmer relations in the north-west Congo basin. In Leacock, E. and Lee, R. (eds.), *Politics and History in Band Societies*,. Cambridge University Press., Cambridge, pp. 189-211.
- Bahuchet, S., McKey, D. and de Garine, I. (1991). Wild yams revisited: is independence from agriculture possible for rain forest hunter-gatherers? *Human Ecology* *19(2)*:213-243.
- Bailey, R.C. (1985). *The socioecology of Efe pygmy men in the Ituri forest, Zaire*. Ph.D. Dissertation, Harvard University, Cambridge.
- Bailey, R.C. and DeVore, I. (1989). Research on the Efe and Lese populations of the Ituri forest, Zaire. *American Journal of Physical Anthropology* **78**: 459-471.
- Bailey, R.C., Head, G., Jenike, M., Owen, B., Rechtman, R. and Zechenter, E. (1989). Hunting and gathering in tropical rain forest: is it possible? *American Anthropologist* **91(1)**: 59-82.
- Bailey, R. C. and Headland, T. N. (1991). The tropical rain forest: is it a productive environment for human foragers? *Human Ecology* *19(2)*:261-285.

- 
- Bailey, R.C. and Peacock, N.R. (1988). Efe pygmies of northeast Zaire: subsistence strategies in the Ituri forest. In de Garine, I. and Harrison, G.A. (eds.), *Uncertainty in the food supply*,. Cambridge University Press., Cambridge, pp. 88-117.
- Berry, J.W., Van de Koppel, J.M.H, Sñchal, C., et al. (1986). *On the edge of the forest: cultural adaptation and cognitive development in Central Africa*. Swets, Berwyn.
- Birmingham, D. and Martin, P. (1983). *History of Central Africa*. Longman, London.
- Burkill, I.H. (1939). Notes on the genus *Dioscorea* in the Belgian Congo. *Bulletin du Jardin Botanique de L'Etat, Brussels* **15**: 345-392.
- Carneiro, R. (1974). On the use of the stone axe among the Amahuaca of eastern Peru. *Ethnologische Zeitschrift Zuerich* **1(197)**: 107-122.
- Carneiro, R.L. (1979). Forest clearance among the Yanomama: observations and implications. *Anthropologica* **52**: 39-76.
- Cavalli-Sforza, L.L. (1986). *African Pygmies*. Academic Press, New York.
- Chikwendu, V.E. and Okezie, C.E.A. (1989). Factors responsible for the ennoblement of African yams: inferences from experiments in yam domestication. In Harris, D.R. and Hillman, G.C. (eds.), *Foraging and Farming: the evolution of plant exploitation*,. Unwin Hyman., London, pp. 344-357.
- Clark, J.D. (1962). The spread of food production in sub-saharan Africa. *Journal of African History* **3**: 211-228.
- Clark, J.D. (1967). The problem of Neolithic culture in sub-Saharan Africa. In Bishop, W.W. and Clark, J.D. (eds.), *Background to Evolution in Africa*,. University of Chicago Press., Chicago, pp. 601-627.
- Clark, J.D. and Brandt, S.A. (1984). *From Hunters to Farmers: the causes and consequences of food production in Africa*. University of California Press, Los Angeles.
- Clark, L.D. (1976). Prehistoric populations and pressures favoring plant domestication in Africa. In Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (eds.), *Origins of African Plant Domestication*,. Mouton., The Hague, pp. 67-105.
- Cohen, M.N. (1975). Population pressure and the origins of agriculture: an archaeological example from the coast of Peru. In Polgar, S. (ed.), *Population, Ecology and Social Evolution*,. Mouton., The Hague, pp. 79-122.
- Cohen, M.N. (1977). *The food crisis in prehistory: overpopulation and the origins of agriculture*. Yale University Press, New Haven.
- Colchester, M. (1994). Rethinking stone age economics: some speculations concerning the pre-columbian Yanomama economy. *Human Ecology* **12(3)**: 291-314.
- Coles, J. (1979). *Experimental Archaeology*. Academic Press, London.
- Coursey, D.G. (1967). *Yams*. Longmans, London.
- Coursey, D.G. (1976). The origins and domestication of yams in Africa. In Harlan, J.R., de Wet, J.M.J. and

- 
- Stemler, A.B.L. (eds.), *Origins of African Plant Domestications*, Mouton., The Hague, pp. 383-408.
- Curran, B. (1992). An evaluation of the management plan for the Okapi Wildlife Reserve of northeastern Zaire. Report for the World Bank, AF3AG, Washington, DC..
- David, N. (1976). History of crops and peoples in north Cameroon to A.D. 1900. In Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (eds.), *Origins of African Plant Domestications*, Mouton., The Hague, pp. 223-268.
- David, N. (1982). Prehistory and historical linguistics in central Africa: points of contact. In Ehret, C. and Posnansky, M. (eds.), *The Archaeological and Linguistic Reconstruction of African History*, University of California Press., Berkeley, pp. 78-95.
- De Schlippe, P. (1956). *Shifting Cultivation in Africa: the Zande system of agriculture*. Routledge and Kegan Paul, London.
- Eder, J.F. (1978). The caloric returns to food collecting: disruption and change among the Batak of the Philippine Tropical Forest. *Human Ecology* **6**: 55-69.
- Eder, J.F. (1984). The impact of subsistence change on mobility and settlement pattern in atropical forest foraging economy: some implications for archeology. *American Anthropologist* **86(4)**: 837-853.
- Ehret, C. (1982). Linguistic inferences about early Bantu history. In Ehret, C. and Posnansky, M. (eds.), *The Archaeological and Linguistic Reconstruction of African History*, University of California Press., Berkeley, pp. 57-65.
- Ehret, C. (1984). Historical/linguistic evidence for early African food production. In Desmond Clark, J. and Brandt, S.A. (eds.), *From Hunters to Farmers: the causes and consequences of food production in Africa*, University of California Press., Berkeley, pp. 25-35.
- Ehret, C. and Saxon, D.E. (1991). *The central Sudanic peoples: linguistic reconstruction and ethnohistory*. Unpublished manuscript, (Unpubl)
- Endicott, K. and Bellwood, P. (1991). The possibility of independent foraging in the rain forest of peninsular Malaysia. *Human Ecology* **19(2)**:151-185.
- Fay, J.M. and Agnagna, M. (1989). *A population survey of forest elephants (Loxodonta africana cyclotis) in northern Congo*. Unpublished report prepared by Wildlife Conservation International undercontract, (Unpubl)
- Fisher, J. W. (1991). Radiocarbon dates from the Ituri forest, Zaire. Report to L.S.B. Leakey Foundation.
- Fisher, J.W. and Strickland, H.C. (1989). Ethnoarchaeology among the Efe pygmies, Zaire: spatial organization of campsites. *American Journal of Physical Anthropology* **78**: 473-484.
- Fisher, J.W. and Strickland, H.C. (1992). Implications of ethnoarchaeology among Efe pygmies (Zaire) for understanding the prehistory of tropical rainforest foragers. *Paper presented at the 88th annual meeting of the American Anthropological Association, Washington, D.C.*
- Fox, R.H. (1953). *A study of energy expenditures of Africans engaged in various rural activities*. Ph.D. Dissertation, University of London, London.
- Germain, R and Evrard, C. (1956). Etude ecologique et phytosociologique de la foret a *Brachystegia laurentii*.

---

*INEAC ser sci No 67 105pp.:*

- Gray, R.A. (1961). *A history of southern sudan 1839-1889*. Oxford University Press, Oxford.
- Grinker, R.R. (1989). *Ambivalent exchanges: the Lese farmers of Central Africa and their relations with the Efe pygmies*. Ph.D. Dissertation, Harvard University, Cambridge.
- Grinker, R.R. (1990). Images of denigration: structuring inequality between foragers and farmers in the Ituri forest, Zaire. *American Ethnologist* **17**(1): 111-130.
- Harako, R. (1976). The Mbuti as hunters, a study of ecological anthropology of the Mbuti pygmies. *Kyoto University African Studies* **10**: 37-99.
- Harako, R. (1981). The Cultural Ecology of Hunting Behavior among Mbuti Pygmies in the Ituri Forest, Zaire. In Harding, R.S.O. and Teleki, G. (eds.), *Omnivorous Primates: gathering and hunting in human evolution*,. Columbia University Press., New York, pp. 499-555.
- Hargot, F. (1955). Monographie agricole du Maniema. *Bulletin Agricole du Congo Belge* **Feb.:**
- Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (1976a). Plant domestication and indigenous African agriculture. In Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (eds.), *Origins of African Plant Domestications*,. Mouton., The Hague, pp. 3-19.
- Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (1976b). *Origins of plant domestication*. Mouton, The Hague.
- Harris, D.R. (1967). New light on plant domestication. *Geogr.Rev.* **57**(1): 90-107.
- Harris, D.R. (1971). The ecology of swidden cultivation in the upper Orinoco rain forest, Venezuela. *Geogr.Rev.* **61**: 475-495.
- Harris, D.R. (1976). Traditional systems of plant food production and the origins of agriculture in west Africa. In Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (eds.), *Origins of African Plant Domestications*,. Mouton., The Hague, pp. 311-356.
- Hart, J.A, Hart, T.B and Thomas, S (1986). The Ituri forest of Zaire: Primate diversity and prospects for conservation. *Primate Conservation* **7**: 42-44.
- Hart, J.A. (1978). From subsistence to market: a case study of the Mbuti net hunters. *Human Ecology* **6**: 32-53.
- Hart, J.A. (1985). *Comparative dietary ecology of a community of frugivorous forest ungulates in Zaire*. Ph.D. Dissertation, Michigan State University, East Lansing.
- Hart, T.B. (1985). *The ecology of a single-species-dominant forest and of a mixed forest in Zaire, Africa*. Ph.D. Dissertation, Michigan State University, East Lansing.
- Hart, T.B. and Hart, J.A. (1986). The ecological basis of hunter gatherer subsistence in the African rainforest: the Mbuti of Eastern Zaire. *Human Ecology* **14**(1): 29-55.
- Headland, T. N. and Bailey, R.C. (1991). Introduction: have hunter-gatherers ever lived in tropical rain forest independently of agriculture? *Human Ecology* **19**(2):115-122.

- 
- Headland, T.N and Reid, L.A. (1989). Holocene foragers and interethnic trade: a critique of the myths of isolated independent hunter-gatherers. In Gregg, S. (ed.), *Between bands and state: Interaction in small-scale societies*,. Southern Illinois University Press.,
- Headland, T.N. (1986). *Why foragers do not become farmers: a historical study of a changing ecosystem and its effect on a negrito hunter-gatherer group in the philippines*. Ph.D. Dissertation, University of Hawaii, Honolulu.
- Headland, T.N. (1987). The wild yam question: how well could independent hunter- gatherers live in a tropical rain forest ecosystem? *Human Ecology* **15(4)**: 463-491.
- Headland, T.N. (1988). Ecosystem change in a Philippine tropical rain forest and its effect on a Negrito foraging society. *Tropical Ecology* **29(2)**:
- Headland, T.N. and Reid, L.A. (1989). Hunter-gatherers and their neighbours from prehistory to the present. *Current Anthropology* **30(1)**: 43-66.
- Hladik, A., Bahuchet, S., Ducatillion, C. and Hladik, C.M. (1984). The tuberous plants of the Central African rain-forest. *Rev.Ecol.Terre Vie.* **39(3)**: 249-290.
- Hutterer, K.L. (1982). Interaction between tropical ecosystems and human foragers: some general considerations. *Working Paper, Environment and Policy Institute, East West Center, Honolulu*
- Ichikawa, M (1983). An examination of the hunting dependent life of the Mbuti pygmies, eastern Zaire. *African Studies Monographs* **4**: 55-76.
- Ichikawa, M. (1978). The residential groups of the Mbuti pygmies. *Senri Ethological Studies* **1**: 131-188.
- Ichikawa, M. (1981). Ecological and sociological importance of honey to the Mbuti net hunters, Eastern Zaire. *African Studies Monographs* **1**: 55-68.
- Ichikawa, M. (1987). Food restriction of the Mbuti pygmies, eastern Zaïre. *African Studies Monographs* **6**: 97-121.
- Jenike, M.R. (1987). *Seasonal changes in Efe foraging behavior examined from the perspective of the diet breadth model*. B.A. Thesis, Harvard University,
- Jenike, M.R. (1989). *Seasonal changes in Efe foraging behavior examined from the perspective of the diet breadth model*. Am.J.Phys.Anthro., (Unpubl)
- Jenike, M.R. and Bailey, R.C. (1989). Coping with seasonality in the Ituri forest. *Paper presented at the 88th annual meeting of the American Anthropological Association, Washington, D.C.*
- Johnston, B.F. (1958). *The staple food economies of western tropical Africa*. Stanford University Press, Stanford.
- Johnston, H.H. (1913). *A history of the colonization of Africa by alien races*. Cambridge University Press, Cambridge.
- Joset, P.E. (1949). Notes ethnographique sur la sous-tribu des Walese Abfunkotou. *Bulletin de Juridiction Indigenes* **17**: 1-97.

- 
- Kelly, R.L. (1983). Hunter-gatherer mobility strategies. *Journal of Anthropological Research* **39**: 277-306.
- Kikassa, M (1986). Notes documentaire; Evolution de la production agricole au Zaïre: 1960-1984. *Zaïre-Afrique* **202**: 99-104.
- Kumar, S.K. (1988). Effect of seasonal food shortage on agricultural production in Zambia. *World Development* **16(9)**: 1051-1063.
- Lacomblez, M. (1918). L'Agriculture chez les Mangbetu de l'Ituri. *Bulletin Agricole du Congo Belge* **Mar-Dec**:
- Lacomblez, M. (1924). Notice agricole sur les populations Walesse et Mamvu habitant le District de l'Ituri. *Bulletin Agricole du Congo Belge*
- Lebrun, J. (1936). La foret equatoriale congolaise. *Bulletin Agricole du Congo Belge* **27**: 163-192.
- Lebrun, J. and Gilbert, G. (1954). Une classification ecologique des forets du Congo. *Publ.INEAC (Bruxelles) Ser.Sci.* **63**: 89.
- Leplae, E. (1929). Les cultures obligatoires dans les pays d'agriculture arrières. *Bulletin Agricole du Congo Belge*
- Leplae, E. (1933). Histoire et développement des culture obligatoire de coton et de Riz au C.R.S. de 1917 à 1933. *Revue Congo*.
- Martin, F.W. (1984). *CRC Handbook of tropical food crops*. CRC Press Inc., Boca Raton.
- Martorell, R. and Arroyave, G. (1988). Malnutrition, work output and energy needs. In Collins, K.J. and Roberts, D.F. (eds.), *Capacity for Work in the Tropics*., Cambridge University Press., Cambridge,
- McMaster, D.N. (1919). Speculations on the coming of the banana to Uganda. *Journal of Tropical Geography* **57-69**:
- Miracle, M. (1967). *Agriculture in the Congo Basin*. University of Wisconsin Press, Madison.
- Miracle, M.P. (1961). Seasonal hunger: a vague concept and an unexplored problem. *Bulletin de L'Institut Francais D'Afrique Noire ser B.* **23**: 273-283.
- Miracle, M.P. (1973). The congo basin as a habitat for man. In Meggers, B. (ed.), *Tropical Forest Ecosystems in Africa and South America: a comparative review*., Smithsonian Press., Washington,
- Motte, E. (1980). Les plantes chez les pygmees Aka et les Monzombo de la lobaye(Centrafrique): contribution a une etude ethnobotanique comparative des les chasseurs-cueilleurs et des pecheurs. *SELAF, Etudes Pygmees* **5**:
- Murdock, G.P. (1959). *Africa: Its people and their cultural history*. McGraw-Hill, New York.
- Norman, M.J.T., Pearson, C.J. and Searle, P.G.E. (1984). *The ecology of tropical food crops*. Cambridge University Press, London.
- Ogbu, J.U. (1973). Seasonal hunger in Africa as a cultural phenomenon. *Africa* **43**: 317-332.
- Oliver, R. and Fagan, B.A. (1975). *Africa in the Iron Age: c. 500 B.C. to A.D. 1400*. Cambridge University Press,

---

Cambridge.

- Pagezy, H. (1982). Seasonal hunger, as experienced by the Oto and the Twa of a Ntomba village in the equatorial forest (Lake Tumba, Zaire). *Ecology of Food and Nutrition* **12**: 139-153.
- Peacock, N.R. (1985). *Time allocation, work and fertility among Efe pygmy women of northeast Zaire*. Ph.D. Dissertation, Harvard University, Cambridge.
- Peterson, J. (1978). Hunter-gatherers/farmer exchange. *American Anthropologist* **80**: 335-351.
- Purseglove, J.W. (1968). *Tropical Crops: Dicotyledons 1 and 2 (vols 2)*. Longmans, London.
- Purseglove, J.W. (1976). The origins and migrations of crops in tropical Africa. In Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (eds.), *Origins of African Plant Domestications*, Mouton., The Hague, pp. 291-310.
- Richards, P.W. (1952). *The tropical rain forest an ecological study*. Cambridge University Press, Cambridge. Ed. 4th
- Richards, P.W. (1973a). Africa the "odd man out". In Meggers, B. (ed.), *Tropical Forest Ecosystems in Africa and South America: a comparative review*, Smithsonian Press., Washington,
- Richards, P.W. (1973b). The tropical rain forest. *Scientific American* **229(6)**: 58-67..
- Ruthenberg, H. (1976). *Farming systems in the tropics (revised edition)*. Oxford University Press, Oxford.
- Salisbury, R. (1982). *From stone to steel*. Cambridge University Press, Cambridge.
- Sato, H. (1983). Hunting of the Boyela, slash-burn agriculturalists, in the Central Zaïre forest. *African Studies Monographs* **4**: 1-54.
- Schebesta, P. (1933). *Among Congo Pygmies*. Hutchinson, London.
- Schebesta, P. (1936). *My Pygmy and Negro Hosts*. Hutchinson, London.
- Schweinfurth, G. (1969). *Heart of Africa: three years' travels and adventures in the unexplored regions of central africa from 1868 to 1871*. Hutchinson, London.
- Shaw, T. (1976). Earl crops in Africa: a review of the evidence. In Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (eds.), *Origins of African Plant Domestications*, Mouton., The Hague, pp. 107-154.
- Shaw, T. (1977). Hunters, gatherers, and first farmers in West Africa. In Megaw, J.V.S. (ed.), *Hunters, Gatherers and First Farmers Beyond Europe*, Leicester University Press., Leicester, pp. 69-126.
- Stanley, H.M. (1891). *In darkest Africa*. Charles Scribner's Sons, New York.
- Tanno, T (1981). Plant utilization of the Mbuti pygmies with specific reference to their material culture and use of wild vegetable foods. *African Studies Monographs* **1**: 1-51.
- Tanno, T. (1976). The Mbuti net-hunters in the Ituri forest, eastern Zaire: their hunting activities and band composition. *African Studies Monographs* **1**: 101-135..

- 
- Tereshima, H. (1983). Mota and other hunting activities of the Mbuti archers: a socio-ecological study of subsistence technology. *African Studies Monographs* **3**: 60-71.
- Tereshima, H. (1986). Economic exchange and the symbiotic relationship between the Mbuti (Efe) pygmies and the neighbouring farmers. *Sprache und Geschichte in Afrika* **7(1)**: 392-405.
- Tereshima, H. (1987). Why Efe girls marry farmers?: Socio-ecological backgrounds of inter-ethnic marriage in the Ituri forest of central Africa. *African Studies Monographs* **6**: 65-83.
- Tereshima, H., Ichikawa, M. and Sawada, M. (1988). Wild plant utilization of the BaLese and the Efe of the Ituri forest, the Republic of Zaïre. *African Studies Monographs* **8**: 1-78.
- Tharin, M. (1915). L'agriculture indigène dans la Province Orientale du Congo Belge. *Bulletin Agricole du Congo Belge* **Sept-Dec**:
- Tshibaka, T.B. (1989). Food production in a land-surplus labor-scarce economy: the Zaïrian basin. *International Food Policy Research Institute Research Report* **74**: Washington.
- Turnbull, A. (1965). *Wayward Servants: The Two Worlds of the African Pygmies*. Natural History Press, New York.
- Turnbull, C. (1983). *Mbuti pygmies*. Holt, Rinehart and Winston, New York.
- Van Geluwe, H. (1957). Les Mamvu-Mangutu et BaLese-Mvuba. *MRAC, Monographies ethnographie* **3**. **Tervuren**:
- Van Noten, F. (1977). Excavation at Matupi cave. *Antiquity* **51**: 35-40.
- Van Noten, F. (1982). *The archaeology of Africa*. Akademische Druck, Graz.
- Van Noten, F. (1985). Ancient and modern iron smelting in central Africa: Zaire, Rwanda and Burundi. In Hoaland, R. and Shinnier, P. (eds.), *African Ironworking: ancient and traditional*, Norwegian University Press., Oslo, pp. 102-120.
- van Zinderen Bakker, E.M. (1976). Paleoecological background in connection with the origin of agriculture in Africa. In Harlan, J.R., de Wet, J.M.J. and Stemler, A.B.L. (eds.), *Origins of African Plant Domestications*, Mouton., The Hague, pp. 43-66.
- Vansina, J. (1986). Do pygmies have a history? *Sprache und Geschichte in Afrika* **7**: 431-445.
- Vansina, J. (1990). *Paths in the Rainforests*. Wisconsin University Press, Madison.
- Vasey, D.E. (1979). Population and agricultural intensity in the humid tropics. *Human Ecology* **7(3)**: 269-283.
- Wahle, E. (1986). Efe (Mbuti) relations to Lese Dese villagers in the Ituri Forest, Zaïre: historical changes during the last 150 years. *Sprache und Geschichte in Afrika* **7(2)**: 375-411.
- We Leung, W.T. (1968). *Food composition tables for use in Africa*. FAO, Rome.
- Wilkie, D.S. (1987). *Impact of swidden agriculture and subsistence hunting on diversity and abundance of exploited fauna in the Ituri forest of northeastern Zaire*. Ph.D. Dissertation, University of Massachusetts,

---

Amherst.

- Wilkie, D.S. (1988). Hunters and farmers of the African forest. In Denslow, J.S. and Padoch, C (eds.), *People of the Tropical Rain Forest*,. University of California Press., Berkeley, pp. 111-126.
- Wilkie, D.S. (1989a). Impact of roadside agriculture on subsistence hunting in the Ituri forest of northeastern Zaire. *American Journal of Physical Anthropology* **78(4)**: 485-494.
- Wilkie, D.S. (1989b). *Human settlement and forest composition within the proposed Okapi rainforest reserve in northeastern Zaire*. Report to World Wide Fund for Nature, Gland.
- Wilkie, D.S. (1990). Establishing the Okapi Rain Forest Reserve: avoiding human land- use conflicts using satellite image analysis. *Presented at the 10th Annual International Geoscience and Remote Sensing Symposium, College Park, MD*.
- Wilkie, D.S. and Finn, J.T (1990). Shifting cultivation and mammal abundance in the Ituri forest of northeastern Zaire. *Biotropica* **22(1)**: 90-99.
- Wilkie, D.S. and Finn, J.T. (1988). A spatial model of land use and forest regeneration in the Ituri forest of northeastern Zaire. *Ecological Modelling* **41**: 307-323.
- Wilkie, D.S. and Sidle, J.G. (1990). *Social and environmental assessment of the timber production capacity extension project of the Soci  Forestiere Agro- Congolaise in the People's Republic of Congo*. Unpublished report: USDA/OICD, Washington, (Unpubl)
- Wrangham, R.W. and Ross, E.A.M. (1983). Individual differences in activities, family size, and food production among Lese horticulturalists of northeast Zaire. *Paper presented at the 82nd annual meeting of the American Anthropological Association Chicago*:
- Young, C. and Turner, T. (1985). *The rise and decline of the Zairian state*. University of Wisconsin Press, Madison.